## THE BIRDS OF TOM RENICK COUNTY PARK - APRIL, 2024

Well, this was an exceptional month even if there were no additions to the list. During the month 156 species located this is the highest monthly count for this survey (there were 147 species in November, 2023). There were 30 surveys over 180 hours. For this year 220 species located with 330 back to January 1, 2016. The best days were the 4<sup>th</sup> with 1,461 birds and the 13<sup>th</sup> with 75 species. Now to the birds.

There were single Common Loon seen on six dates to the 20<sup>th</sup>. There was a Sooty Shearwater on the 11<sup>th</sup>. There was an immature Brown Booby on the 14<sup>th</sup>. Northern Gannets seen through to the 28<sup>th</sup> with seven on the 27<sup>th</sup>. Brown Pelicans peaked at 217 on the 11<sup>th</sup>. Double-crested Cormorants peaked at 580 on the 4<sup>th</sup>. On the 4<sup>th</sup> Anhinga peaked at 28. There were single American Bitterns on the 2<sup>nd</sup> and 15<sup>th</sup>. There was a Least Bittern on the 26<sup>th</sup>. A Reddish Egret took up residence from the 14<sup>th</sup> with a party of three flying to the south on the 19<sup>th</sup> a new high count. There were single Green Herons on the 3<sup>rd</sup> and the 12<sup>th</sup>. There were single Black-crowned Night-Herons on the 2<sup>nd</sup>, 3<sup>rd</sup> and 9<sup>th</sup>. Yellow-crowned Night-Herons were located on nine days with three on the 2<sup>nd</sup> and the 22<sup>nd</sup>. White Ibis peaked at 77 on the 10<sup>th</sup>. Glossy Ibis were seen on eight days with 14 on the 1<sup>st</sup> and ten on the 19<sup>th</sup>. There was one Wood Stork on the 4<sup>th</sup> with two on the 5<sup>th</sup> and five on the 6<sup>th</sup>. For the vultures there were 22 Black on the 27<sup>th</sup> and 92 Turkey on the 3<sup>rd</sup>.

A Muscovy Duck flew to the north over the river on the 26<sup>th</sup>. There were ten American Wigeon on the 10<sup>th</sup>. There were two Mottled Duck on the 3<sup>rd</sup>. Blue-winged Teal were seen on nine days to the 26<sup>th</sup> with eight on the 6<sup>th</sup>. There was a Northern Shoveler on the 10<sup>th</sup>. For the Green-winged Teal there were ten on the 2<sup>nd</sup>, four on the 6<sup>th</sup>, one on the 13<sup>th</sup> and two on the 22<sup>nd</sup>. For the Lesser Scaup there were still 72 on the 1<sup>st</sup> with 46 on the 5<sup>th</sup>, 14 on the 13<sup>th</sup> and two staying to the 30<sup>th</sup>. There were two Surf Scoter on the 20<sup>th</sup>. Black Scoter were seen on six days with three on the 2<sup>nd</sup>, two on the 21<sup>st</sup> and one to the 26<sup>th</sup>. Red-breasted Mergansers were seen on six days from the 6<sup>th</sup> to the 22<sup>nd</sup> with six on the 22<sup>nd</sup>.

Ospreys peaked at ten on the 3<sup>rd</sup>. Swallow-tailed Kites had high counts of eight on the 4<sup>th</sup>, eight on the 7<sup>th</sup> and six on the 14<sup>th</sup>. There was a Mississippi Kite on the 28<sup>th</sup>. Up to four Bald Eagles seen to the 22<sup>nd</sup> with three to the 28<sup>th</sup>, two on the 29<sup>th</sup> and one on the 30<sup>th</sup>. For the Northern Harrier there were five on the 3<sup>rd</sup> with singles on the 4<sup>th</sup>, 7<sup>th</sup>, 20<sup>th</sup> and 21<sup>st</sup>. Sharp-shinned Hawks were seen on seven days from the 3<sup>rd</sup> to the 18<sup>th</sup> with two on the 5<sup>th</sup>. There were single Short-tailed Hawks on the 3<sup>rd</sup>, 6<sup>th</sup> and 22<sup>nd</sup>. American Kestrels seen to the 6<sup>th</sup> with three on the 3<sup>rd</sup>. Merlin were seen on 23 days with six on the 12<sup>th</sup> and nine on the 23<sup>rd</sup>. There was a Peregrine Falcon on the 7<sup>th</sup>.

Single Sandhill Cranes were located on the 1<sup>st</sup>, 4<sup>th</sup> and 13<sup>th</sup>. Single American Golden-Plovers flew to the north on the 21<sup>st</sup> and the 22<sup>nd</sup>. There were two Wilson's Plover on the 19<sup>th</sup> with a Piping Plover on the 22<sup>nd</sup>. There was a Semipalmated Plover on the 5<sup>th</sup> with two on the 13<sup>th</sup>. They were then seen daily from the 21<sup>st</sup> with 34 on the 22<sup>nd</sup> and ten on the 27<sup>th</sup>. There was a Killdeer on the 4<sup>th</sup>. There were eight Black-necked Stilts on the 2<sup>nd</sup> with two on the 6<sup>th</sup>, two on the 17<sup>th</sup> and six on the 20<sup>th</sup> (spring sightings are rare). There were five American Avocets on the 14<sup>th</sup> with eight on the 15<sup>th</sup>. There were 60 Lesser Yellowlegs on the 5<sup>th</sup> with seven on the 6<sup>th</sup>. There was a Solitary Sandpiper on the 28<sup>th</sup>. There were single Spotted Sandpipers on the 5<sup>th</sup> and 9<sup>th</sup>. They were seen daily from the 21<sup>st</sup> with ten on the 24<sup>th</sup> a new high count. Whimbrel were seen on six days from the 8<sup>th</sup> to the 22<sup>nd</sup> with eight on the 14<sup>th</sup>. There were still 31 Red Knot on the 4<sup>th</sup> with 14 on the 5<sup>th</sup>, 13 on the 8<sup>th</sup>, six on the 9<sup>th</sup> and one on the 14<sup>th</sup>. Sanderling peaked at 100 on the 23<sup>rd</sup>. For the Semipalmated Sandpiper there were 23 on the 22<sup>nd</sup>, one on the 25<sup>th</sup> and seven on the 23<sup>rd</sup>. There were 25 Short-billed Dowitchers on the 22<sup>nd</sup> with a Long-billed Dowitcher on the 9<sup>th</sup>.

There was a Bonaparte's Gull on the 3<sup>rd</sup>. Ring-billed Gulls seen to the 30<sup>th</sup> and Herring Gulls were seen to the 22<sup>nd</sup>. There were two Lesser Black-backed Gulls on the 22<sup>nd</sup>. There were single Gull-billed Terns on the 6<sup>th</sup> and the 22<sup>nd</sup> with five on the 23<sup>rd</sup>, then one seen on the 30<sup>th</sup>. There were three Caspian Terns on the 6<sup>th</sup> with two on the 21<sup>st</sup>, one on the 23<sup>rd</sup> and two on the 27<sup>th</sup>. There were two Roseate Terns on the 13<sup>th</sup>. There were four Common Terns on the 7<sup>th</sup> with singles on the 22<sup>nd</sup>, 27<sup>th</sup> and 29<sup>th</sup>. There was an Arctic Tern on the 27<sup>th</sup>. Forster's Terns were seen to the 18<sup>th</sup>. Least Terns were seen from the 5<sup>th</sup> with 16 on the 12<sup>th</sup>. There was a Black Tern on the 27<sup>th</sup>. There was a Black Skimmer on the 10<sup>th</sup> with four on the 13<sup>th</sup>, one on the 19<sup>th</sup> and six on the 22<sup>nd</sup>.

There was a White-winged Dove on the 20<sup>th</sup>. There was an Eastern Screech-Owl on the 12<sup>th</sup>. Great Horned Owls seen daily to the 8<sup>th</sup> then singles heard on the 14<sup>th</sup>, 24<sup>th</sup> and 25<sup>th</sup>. There were two Barred Owls on the 19<sup>th</sup> (a new high count) with one on the 21<sup>st</sup>. There was a Common Nighthawk on the 30<sup>th</sup>. There were four Chuck-will's-widows on the 1<sup>st</sup>, 12<sup>th</sup> and 19<sup>th</sup> with two to the 30<sup>th</sup>. There were two Eastern Whip-poor-wills on the 1<sup>st</sup> with singles on the 2<sup>nd</sup>, 5<sup>th</sup>, 12<sup>th</sup> and 20<sup>th</sup>. Chimney Swifts were seen from the 2<sup>nd</sup> with 13 on the 26<sup>th</sup>. There were two Ruby-throated Hummingbirds on the 24<sup>th</sup>. For Belted Kingfisher there were singles on the 6<sup>th</sup> and 9<sup>th</sup>. They were seen daily from the 18<sup>th</sup> to the 26<sup>th</sup> with four on the 24<sup>th</sup>.

There was a Red-headed Woodpecker on the 16<sup>th</sup>. Single Downy Woodpeckers were seen on seven days. There was a Northern Flicker on the 16<sup>th</sup>. Pileated Woodpeckers were noted on 24 days with two on the 5<sup>th</sup>, 21<sup>st</sup> and 25<sup>th</sup>. There weas an Eastern Wood-Pewee on the 10<sup>th</sup>. Great Crested Flycatchers were seen from the 8<sup>th</sup> with four on the 21<sup>st</sup> a new high count. Eastern Kingbirds were seen on seven days from the 4<sup>th</sup> there were 20 on that date. There were single Gray Kingbirds on the 6<sup>th</sup> and 13<sup>th</sup>. Single Loggerhead Shrikes were seen on the 4<sup>th</sup> and 11<sup>th</sup>.

There was a Yellow-throated Vireo on the 2<sup>nd</sup>. There were single Blue-headed Vireos on the 4<sup>th</sup>, 5<sup>th</sup>, 7<sup>th</sup> and 13<sup>th</sup>. Only low numbers of crows this month there were 100 Fish on the 1<sup>st</sup>.

Purple Martins were recorded on 19 days with 23 on the 5<sup>th</sup>. Tree Swallows were seen on six days to the 21<sup>st</sup> with eight on the 4<sup>th</sup>. Northern Rough-winged Swallows were seen on eight days from the 4<sup>th</sup> to the 26<sup>th</sup> with seven on the 6<sup>th</sup>. Bank Swallows were seen on seven days from the 4<sup>th</sup> to the 21<sup>st</sup> no more than two a day. There were single Cliff Swallows on the 6<sup>th</sup> and 14<sup>th</sup>. Barn Swallows peaked at 434 on the 6<sup>th</sup>. There were single Carolina Chickadees on the 5<sup>th</sup> and the 13<sup>th</sup>. Single Tufted Titmouse seen all month with two on the 9<sup>th</sup>. Single House Wrens (at three locations) seen to the 23<sup>rd</sup>. There was a Sedge Wren on the 5<sup>th</sup> the second park record. There was a Blue-gray Gnatcatcher on the 4<sup>th</sup>. There was a Veery on the 14<sup>th</sup> with single Swainson's Thrush on the 12<sup>th</sup> and the 15<sup>th</sup>. Two Gray Catbirds stayed to the 9<sup>th</sup> with one staying to the 21<sup>st</sup>. There are two pairs of Brown Thrashers in the area. Cedar Waxwings seen on eight days with 60 on the 3<sup>rd</sup>, 20 on the 5<sup>th</sup>, 12 on the 13<sup>th</sup> and 12 on the 21<sup>st</sup>.

There was a Northern Parula on the 20<sup>th</sup> with a Yellow-throated Warbler on the 12<sup>th</sup>. There were single Prairie Warblers on the 8<sup>th</sup> and 19<sup>th</sup>. Up to three Palm Warblers seen to the 18<sup>th</sup> with one later on the 25<sup>th</sup>. There were single Black-and-white Warblers on the 4<sup>th</sup> and 26<sup>th</sup>. There was an American Redstart on the 24<sup>th</sup> with three on the 26<sup>th</sup>. There was a Prothonotary Warbler on the 6<sup>th</sup>. There was a Northern Waterthrush on the 20<sup>th</sup>. There was a Common Yellowthroat from the 10<sup>th</sup> to the 27<sup>th</sup> with four on the 26<sup>th</sup>. There was a Summer Tanager on the 2<sup>nd</sup>. There was a female Rose-breasted Grosbeak on the 30<sup>th</sup>. There was a Blue Grosbeak on the 15<sup>th</sup>. There was an Indigo Bunting on the 5<sup>th</sup> with two on the 15<sup>th</sup> and one on the 22<sup>nd</sup>. There was a Bobolink on the 1<sup>st</sup> with 30 on the 17<sup>th</sup>, 80 on the 21<sup>st</sup> and five on the 22<sup>nd</sup>. Up to two Brown-headed Cowbirds seen to the 6<sup>th</sup> with singles later on the 15<sup>th</sup> and 22<sup>nd</sup>. There were single Baltimore Orioles on the 2<sup>nd</sup>, 5<sup>th</sup>, 6<sup>th</sup> and 10<sup>th</sup>. Up to six House Finches seen daily with nine on the 17<sup>th</sup>. There were two American Goldfinch on the 5<sup>th</sup> with four on the 7<sup>th</sup> and four on the 16<sup>th</sup>.

What will May bring?

Harry Robinson